



The Timken Company


4500 Mt Pleasant St. NW

N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Timken Part Number G1200KRRB, Fafnir® Eccentric Locking Collar Ball Bearings



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications

Bore Size d	2 in 50.8 mm
Bore Type	Cylindrical bore
Bearing Type	Ball Bearing
Seal Type	Shroud Seal
Material	Bearing Steel
Lubrication Type	Relubricatable
O.D. Type	Spherical OD
Dimension M	0.197 in 5 mm
Dimension B1	2.811 in 71.4 mm

Dimension B2	0.811 in 20.6 mm
Series	Industrial
Weight	0.500 lb 0.200 Kg
Sub Series	G1...KRRB


Dimensions

Outside Diameter D	3.937 in 100.000 mm
Inside Ring Width B	55.56 mm 2.187 in
Outside Ring Width C	25.000 mm 0.984 in
Radius r	0.6 mm 0.024 in
Center of Bearing from End S	27.8 mm 1.094 in
Dimension S1	43.6 mm 1.717 in
Set Screw Size	7/16-14
Number of Set Screws	2
Angle between Set Screws	90 °

Basic Load Ratings

Static Load Rating	6400 lbf 28500 N
---------------------------	---------------------

Dynamic Load Rating	10800 lbf 48000 N
----------------------------	----------------------



Weight	0.5 lb	0.2 kg	TIMKEN® THE TIMKEN COMPANY NORTH CANTON, OHIO USA	G1200KRRB Fafnir® Eccentric Locking Collar Ball Bearings		
				Basic Load Ratings - C _r		
				Load Ratings - C _{0r}		
				10800 lbf	48000 N	
				6400 lbf	28500 N	
Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.				FOR DISCUSSION ONLY		