



Safety Data Sheet

acc. to Safe Work Australia - Code of Practice

Eagle One NEVR-DULL All Metal Wadding Polish

Version number: 3.0
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **Eagle One NEVR-DULL All Metal Wadding Polish**
Alternative number(s) 079933103553

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Polishing agent

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.
25225 Detroit Rd.
Westlake OH 44145
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)
Website: <http://data.energizer.com>

Energizer Trading Ltd.
Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376
e-mail: ConsumerServiceEU@energizer.com

Additional information

Importer				
Name	Street	Postal code/city	Telephone	e-Mail
Energizer - Australia	Level 2, 11 Murray Rose Avenue	2127 Sydney Olympic Park	+612 9763 6111	

1.4 Emergency telephone number

Poison centre		
Name	Postal code/city	Telephone
NSW Poisons Information Centre		13 11 26 (emergency no. 000)

Eagle One NEVR-DULL All Metal Wadding Polish

Version number: 3.0
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.7	flammable solid	2	Flam. Sol. 2	H228
3.1I	acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
3.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects
Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling

- Signal word warning

- Pictograms

GHS02, GHS07, GHS08



- Hazard statements

H228 Flammable solid.
H332 Harmful if inhaled.
H336 May cause drowsiness or dizziness.
H373 May cause damage to organs (nervous system) through prolonged or repeated exposure.

- Precautionary statements

P103 Read label before use.
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting equipment.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Eagle One NEVR-DULL All Metal Wadding Polish

Version number: 3.0
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

- Precautionary statements

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.2.1.7- Hazardous ingredients for labelling Distillates (petroleum), hydrotreated light

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.





SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Distillates (petroleum), hydrotreated light	CAS No 64742-47-8	50 - < 75	Flam. Liq. 3 / H226 Acute Tox. 3 / H331 STOT SE 3 / H336 STOT RE 2 / H373	
Naphtha (petroleum), hydrotreated heavy	CAS No 64742-48-9	25 - < 50	Flam. Liq. 1 / H224 Asp. Tox. 1 / H304	
Solvent naphtha (petroleum), light arom.	CAS No 64742-95-6	5 - < 10	Flam. Liq. 1 / H224 Asp. Tox. 1 / H304	
Ammonia, aqueous solution	CAS No 1336-21-6	1 - < 5	Skin Corr. 1 / H314 Eye Dam. 1 / H318	

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.



Safety Data Sheet

acc. to Safe Work Australia - Code of Practice

Eagle One NEVR-DULL All Metal Wadding Polish

Version number: 3.0
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.



Safety Data Sheet

acc. to Safe Work Australia - Code of Practice

Eagle One NEVR-DULL All Metal Wadding Polish

Version number: 3.0
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.



Eagle One NEVR-DULL All Metal Wadding Polish

Version number: 3.0
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
AU	white spirit (mineral turpentine)	64742-48-9	WES		480						WES

Notation

Ceiling-C

STEL

TWA

ceiling value is a limit value above which exposure should not occur
 short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
 time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



Safety Data Sheet

acc. to Safe Work Australia - Code of Practice

Eagle One NEVR-DULL All Metal Wadding Polish

Version number: 3.0
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid
Colour	silver
Odour	mineral-oil-like

Other safety parameters

pH (value)	3
Melting point/freezing point	not determined
Initial boiling point and boiling range	≥-20 °C at 101.3 kPa
Flash point	90 °C
Evaporation rate	not determined
Flammability (solid, gas)	flammable solid in accordance with GHS criteria
Vapour pressure	≤240 kPa at 37.8 °C
Density	not determined
Vapour density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	220 °C (relative self-ignition temperature for solids)
Viscosity	not relevant (solid matter)
Explosive properties	none



Safety Data Sheet

acc. to Safe Work Australia - Code of Practice

Eagle One NEVR-DULL All Metal Wadding Polish

Version number: 3.0
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

	Oxidising properties	none
9.2	Other information	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Harmful if inhaled.

GHS of the United Nations, annex 4: May be harmful in contact with skin.



Safety Data Sheet

acc. to Safe Work Australia - Code of Practice

Eagle One NEVR-DULL All Metal Wadding Polish

Version number: 3.0
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

- Acute toxicity estimate (ATE)
Inhalation: vapour 10.56 mg/l/4h

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Distillates (petroleum), hydrotreated light	64742-47-8	inhalation: vapour	5.28 mg/l/4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

May cause damage to organs (nervous system) through prolonged or repeated exposure.

Hazard category	Target organ	Exposure route
2	nervous system	if exposed

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Data are not available.



Eagle One NEVR-DULL All Metal Wadding Polish

Version number: 3.0
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number	1325
14.2 UN proper shipping name	FLAMMABLE SOLID, ORGANIC, N.O.S.
Technical name (hazardous ingredients)	Solvent naphtha (petroleum), light arom., Naphtha (petroleum), hydrotreated heavy
14.3 Transport hazard class(es)	
Class	4.1 (flammable solids, self-reactive substances and solid desensitized explosives)
14.4 Packing group	III (substance presenting low danger)
14.5 Environmental hazards	hazardous to the aquatic environment
Environmentally hazardous substance (aquatic environment)	Distillates (petroleum), hydrotreated light
14.6 Special precautions for user	
There is no additional information.	

Eagle One NEVR-DULL All Metal Wadding Polish

Version number: 3.0
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

Transport information - National regulations - Additional information (UN RTDG)

UN number	1325
Proper shipping name	FLAMMABLE SOLID, ORGANIC, N.O.S.
Class	4.1
EAC (HazChem Code)	1Z
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	4.1, fish and tree



Special provisions (SP)	223, 274 (UN RTDG)
Excepted quantities (EQ)	E1 (UN RTDG)
Limited quantities (LQ)	5 kg (UN RTDG)

International Maritime Dangerous Goods Code (IMDG)

UN number	1325
Proper shipping name	FLAMMABLE SOLID, ORGANIC, N.O.S.
- Particulars in the shipper's declaration	UN1325, FLAMMABLE SOLID, ORGANIC, N.O.S., (Solvent naphtha (petroleum), light arom., Naphtha (petroleum), hydrotreated heavy, Distillates (petroleum), hydrotreated light, mixture), 4.1, III, MARINE POLLUTANT
Class	4.1
Marine pollutant	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	4.1, fish and tree




Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1

Eagle One NEVR-DULL All Metal Wadding Polish

Version number: 3.0
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

Limited quantities (LQ)	5 kg
EmS	F-A, S-G
Stowage category	B
International Civil Aviation Organization (ICAO-IATA/DGR)	
UN number	1325
Proper shipping name	Flammable solid, organic, n.o.s.
- Particulars in the shipper's declaration	UN1325, Flammable solid, organic, n.o.s., (Solvent naphtha (petroleum), light arom., Naphtha (petroleum), hydrotreated heavy, mixture), 4.1, III
Class	4.1
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	4.1
	
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations (Australia)

Australian Inventory of Chemical Substances (AICS)

All ingredients are listed or exempt from listing.

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed



Safety Data Sheet

acc. to Safe Work Australia - Code of Practice

Eagle One NEVR-DULL All Metal Wadding Polish

Version number: 3.0
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

Country	Inventory	Status
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
3.2		Description of the mixture: change in the listing (table)	yes
4.1	Following skin contact: Brush off loose particles from skin. Rinse skin with water/shower.	Following skin contact: Wash with plenty of soap and water.	yes
5.2	Special hazards arising from the substance or mixture: Deposited combustible dust has considerable explosion potential.	Special hazards arising from the substance or mixture	yes



Safety Data Sheet

acc. to Safe Work Australia - Code of Practice

Eagle One NEVR-DULL All Metal Wadding Polish

Version number: 3.0
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
7.1	- Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.	- Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Use only in well-ventilated areas. Ground/bond container and receiving equipment.	yes
7.2	- Ventilation requirements: Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.	- Ventilation requirements: Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.	yes
8.2	Respiratory protection: Particulate filter device (EN 143).	Respiratory protection: In case of inadequate ventilation wear respiratory protection.	yes
9.2	Other information	other information: there is no additional information	yes
9.2	Solvent content: 100 %		yes
9.2	Solid content: 0 %		yes
14.7	EAC (HazChem Code): 1Z (Australia)	EAC (HazChem Code): 1Z	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DOT	Department of Transportation (USA)
EAC	Emergency Action Code
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule



Safety Data Sheet

acc. to Safe Work Australia - Code of Practice

Eagle One NEVR-DULL All Metal Wadding Polish

Version number: 3.0
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

Abbr.	Descriptions of used abbreviations
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne conatminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).



Safety Data Sheet

acc. to Safe Work Australia - Code of Practice

Eagle One NEVR-DULL All Metal Wadding Polish

Version number: 3.0
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H224	Extremely flammable liquid and vapour.
H226	Flammable liquid and vapour.
H228	Flammable solid.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs (nervous system) through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.