

Clean Up With Hitachi High Pressure Washers



HITACHI
Inspire the Next

High Pressure Washers



AW100 1450psi (1400W)

Features Include:

- Automatic start/stop reduces motor & pump wear
- Durable corrosion free metal pump
- Convenient accessory & cord holders
- Handle for easy transportation
- Built in thermal protector stops the motor when abnormal heat is detected

Specifications:

Max pressure:	1450psi / 100 Bar
Power input:	1400W
Flow rate:	5.5L/min
Max water temp:	40°C
High pressure hose length:	5m
Power cord length:	5m

Standard Accessories:

- Trigger gun
- High pressure hose
- Variable nozzle spray lance
- Detergent bottle with nozzle
- Water feed connector
- Nozzle cleaning pin

Variable Nozzle



AW130 1885psi (1600W)

Features Include:

- Automatic start/stop reduces motor & pump wear
- Durable corrosion free metal pump
- Convenient accessory & cord holders
- Handle & wheels for easy transportation & manoeuvrability
- Built in thermal protector stops the motor when abnormal heat is detected
- Siphon function enables drawing water from a bucket

Specifications:

Max pressure:	1885psi / 130 Bar
Power input:	1600W
Flow rate:	6L/min
Max water temp:	40°C
High pressure hose length:	10m
Power cord length:	5m

Standard Accessories:

- Trigger gun
- High pressure hose
- Variable nozzle spray lance
- Turbo nozzle spray lance
- Detergent bottle with nozzle
- Water feed connector
- Nozzle cleaning pin
- One-Touch Hose Joint

Variable Nozzle



Turbo Nozzle



AW150 2175psi (2000W)

Features Include:

- Automatic start/stop reduces motor & pump wear
- Durable corrosion free metal pump
- Convenient accessory & cord holders
- Handle & wheels for easy transportation & manoeuvrability
- Built in thermal protector stops the motor when abnormal heat is detected
- Siphon function enables drawing water from a bucket
- Integrated hose reel with winder

Specifications:

Max pressure:	2175psi / 150 Bar
Power input:	2000W
Flow rate:	6.6L/min
Max water temp:	40°C
High pressure hose length:	10m
Power cord length:	5m

Standard Accessories:

- Trigger gun
- High pressure hose
- Variable nozzle spray lance with pressure adjuster
- Turbo nozzle spray lance
- On board detergent bottle
- Water feed connector
- Nozzle cleaning pin
- One-Touch Hose Joint

Variable Nozzle



Turbo Nozzle



Optional Accessories



335651 Wash Brush

Features Include:

- Soft bristles for delicate surfaces
- Straight design allows greater reach
- Convenient twist on fitment
- Compatible with all Hitachi high pressure washers



335652 Rotating Brush

Features Include:

- Rotating bristles for more efficient cleaning
- Straight design allows greater reach
- Convenient twist on fitment
- Compatible with all Hitachi high pressure washers



335657 High Pressure Extension Hose

Features Include:

- 10 metres in length
- Thick durable hose
- Convenient screw on fitment
- Compatible with all Hitachi high pressure washers



Images show brushes used with AW150

Drawing Water From A Bucket*

By using a 3 metre length of standard 12mm garden hose & supplied One-Touch Hose Joint** you can use your Hitachi high pressure washer to draw water from a bucket, which is convenient for when mains water is not accessible

* Siphon function only found on AW130 & AW150 models

** One-Touch Hose Joint only supplied with AW130 & AW150 models



Step 1: Attach the One-Touch Hose Joint to one end of a 3 metre length of garden hose



Step 2: Sink the entire 3 metre length of garden hose into a bucket filled with water



Step 3: Connect the One-Touch Hose Joint to the water feed connector on the washer



Step 4: Connect the washer to the power supply & switch on without the spray nozzle attached



Step 5: Switch the washer to the on position & pull the trigger until sufficient water is flowing out




Step 6: Switch the washer off and connect the spray nozzle, switch the washer back on & pull the trigger to commence washing



HITACHI



www.hitachi-powertools.com.au



HITACHI
Inspire the Next

KUD0613

E. & O.E.

Hitachi Power Tools Australia Pty. Ltd
Hitachi Koki Co., Ltd