

Contact us

Customer Service: 1800 335 350 Email: cservice@sutton.com.au https://suttontools.com



suttontools

D504 -HSS Step Drill -Sutton Tools

For use in sheet metal, aluminium, plastic & fibre glass, ideal for sheet metal without predrilling. During drilling, the next step deburrs the previously drilled hole.

Features:

- Fixed Drilling Steps: Spiral Flute for reduced vibration and greater control through steps
- Made from HSS: Constructed from M2 high speed steel offering the best combination of strength, heat & wear resistance
- Flat Shank: Three flats suits 3-jaw chuck





Customer Service: 1800 335 350
Email: cservice@sutton.com.au
https://suttontools.com

Range:

Item #	Diameters	Shank	Range	Steps
D50441209	4, 5, 6, 7, 8, 9, 10, 11, 12mm	Flat	4-12mm	9
D50442009	4, 6, 8, 10, 12, 14, 16, 18, 20mm	Flat	4-20mm	9
D50443014	4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30mm	Flat	4-30	14
D50463611	6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36mm	Flat	6-36mm	11
D50441205	4, 5, 6, 8, 10, 12mm	Flat	4-12mm	5
D50451306	3/16, 1/4, 5/16, 3/8, 7/16, 1/2"	Flat	3/16-1/2"	6
D50431313	1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2"	Flat	1/8-1/2"	13
D50461807	6, 8, 10, 12, 14, 16, 18mm	Flat	6-18mm	7
D50461909	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"	Flat	1/4-3/4"	9
D50442210	4, 6, 8, 10, 12, 14, 16, 18, 20, 22mm	Flat	4-22	10
D50453513	5, 7.5, 10, 13, 16, 19, 21, 23, 26, 29, 31, 33, 35mm	Flat	5-35mm	13





Customer Service: 1800 335 350 Email: cservice@sutton.com.au https://suttontools.com

Trade/DIY Applications:

Wood	Metal		Specialty		Masonry
Soft Wood	Steel		PVC Plastic	•	Masonry
Hard Wood	Hard Steel		Acrylic		Plasterboard
Wood & Nails	Stainless Steel		mineral rock wool foams (EPS, PUR),		Compressed Fibre
Chipboard	Aluminium		Polystyre		Cement Sheet
Plywood	Copper / Brass		Leather		Ceramic Tile
MDF	Cast Iron		Rubber		Hebel
Green Wood	Sheet Metal	•	Fibreglass	•	Brick
Sandwich Construction	Precious Metals		Carbon Fibre Glass		Concrete
Pallet	Metal Pipe		Laminate		Reinforced Concrete
Window Frame					Stone
					Granite
					Marble

KEY

Optimal O Effective