

## **Product Objectives**

- Designed to suit the needs of fabricators, engineers, welders and stone masons and more. To access a trades requiring grinders with a blade braking system.
- Develop an 18V Brushless angle grinder with electric brake, kickback detection and soft start, increasing safety and minimizing risk whilst operating.





## **Product Overview**

#### DGA506 - 18V Brushless 125mm (5") Slide Switch Angle Grinder



## **Product Specification Sheet**


## DGA506 – 18V Brushless 125mm (5") Slide Switch Angle Grinder



Wheel diameter	125mm (5")
No load speed	8,500rpm
Overall length	362mm
Skin weight	2.0kg
Weight (with battery)	2.6kg
Voltage	18V

- Slide Switch slide switch with lock on
- Electric brake quickly stops the blade rotation after the switch has been disengaged, increasing safety and minimizing risk
- Kickback detection detects kickback and shuts down the tool as soon as rotation speed suddenly slows down to protect the user
- Soft start slowly increases speed to full rpm for safe and smooth operation
- Automatic Torque Drive automatically adjusts speed and torque during operation for optimum performance
- Anti-restart tool will not start if switch is engaged when a battery is installed. Switch must first return to the off position
- XPT eXtreme Protection Technology for use in outdoor applications or harsh environments, protection from dust and moisture is enhanced
- Ergonomically Designed Barrel Grip easy to grip design with rubber for anti-skid and increased control when operating
- BL Brushless Motor efficient energy production enabling lower heat production and increased work on a single charge

## **Product Overview**



## **Product Specification Sheet**

## DGA508 - 18V Brushless 125mm (5") Paddle Switch Angle Grinder



Wheel diameter	125mm (5")
No load speed	8,500rpm
Overall length	362mm
Skin weight	2.0kg
Weight (with battery)	2.6kg
Voltage	18V

- Paddle Switch large ergonomic paddle switch which shuts down the tool immediately after being released
- Side Grip For increased control and maneuverability during operation
- Electric brake quickly stops the blade rotation after the switch has been disengaged, increasing safety and minimizing risk
- Kickback detection detects kickback and shuts down the tool as soon as rotation speed suddenly slows down to protect the user
- **Soft start** slowly increases speed to full rpm for safe and smooth operation
- Automatic Torque Drive automatically adjusts speed and torque during operation for optimum performance
- **Anti-restart** tool will not start if switch is engaged when a battery is installed. Switch must first return to the off position
- XPT eXtreme Protection Technology for use in outdoor applications or harsh environments, protection from dust and moisture is enhanced
- **Ergonomically Designed Barrel Grip** easy to grip design with rubber for anti-skid and increased control when operating
- BL Brushless Motor efficient energy production enabling lower heat production and increased work on a single charge

# Advantages

#### **Power**



Brushless Motor delivers higher power and rpm with more efficient use of energy.

#### **Control**



Ergonomically designed barrel grip

#### **Innovation**



Automatic torque drive increases torque to power though tough cuts

### Safety



Electric brake, Kickback detection and Anti-restart

# 125mm (5") Grinder Features

	DGA504	DGA505	DGA506	DGA508	DGA511	DGA512	DGA517	DGA518
Switch type	Slide	Paddle	Slide	Paddle	Slide	Slide	Paddle	Paddle
Anti-restart	<b>√</b>	<b>√</b>	<b>√</b>	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Soft start	$\checkmark$							
Automatic torque drive	$\checkmark$							
Anti-kickback	$\checkmark$							
Electric brake	X	X	$\checkmark$	$\checkmark$	X	X	$\checkmark$	$\checkmark$
Variable speed	X	X	X	X	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
AWS	X	X	X	×	X	$\checkmark$	X	<b>√</b>

### Accessories

Standard Accessories				
	A-80656	125mm Inox Grinding wheel		
Takita	158237-4	Side grip		
O warran	782423-1	Lock nut wrench		
<b>O</b>	224554-5	Lock nut		
0	224447-6	Flange		
	135108-2	Tool-less wheel guard		
Optional accessories				
Translate  Translate	B-35449-10 D-20432-10 B-38489-40 D-20323-5	Metal – Cutting and Grinding 125 x 1.6 x 22.23 (10PK) 125 x 2.5 x 22.23 (10PK) 125 x 3.2 x 22.23 (40PK) 125 x 6 x 22.23 (5PK)		

B-46981-10

20535-12

B-27121-5

B-18150-10

125 x 6 x 22.23 (5PK)

Inox – Cutting and Grinding
125 x 0.8 x 22.23 (10PK)

125 x 1 x 22.23 (10PK)

125 x 1.2 x 22.23 (12PK)

125 x 6 x 22.23 (5PK)

Optional accessories					
Trakita  Trakita  Trakita  Trakita  Trakita  Trakita  Trakita  Trakita	B-22171-20 B-22187-20 B-22193-20 B-22202-20	Flexible Grinding Wheels – Metal  125 x 3 x 22.23 AC36 (20PK)  125 x 3 x 22.23 AC46 (20PK)  125 x 3 x 22.23 AC60 (20PK)  125 x 3 x 22.23 AC80 (20PK)			
Trackto	B-22414-20 B-22420-20 B-22436-20 B-22442-20	Flexible Grinding Wheels – Inox 125 x 3 x 22.23 WA36 (20PK) 125 x 3 x 22.23 WA46 (20PK) 125 x 3 x 22.23 WA60 (20PK) 125 x 3 x 22.23 WA80 (20PK)			
TO PACE  TO STATE OF THE PACE  TO STATE OF T	D-20482-10 D-20373-5	Masonry – Cutting and Grinding 125 x 3 x 22.23 (10PK) 125 x 6 x 22.23 (5PK)			
Trails Trails	B-46333	Ultra Thin Diamond Blade – Porcelain 125 x 1.4 x 22.23			
	122688-7	125mm Wheel guard for cutting discs			
Transa	196845-3	125mm Dust collecting wheel guard			