

## **Product Statement**



### **18V Brushless Compact Recipro Saw**

The 18V brushless reciprocating saw (DJR189) has a lightweight and compact design to enhance workability in tight places. The DJR189 features a loop shaped handle to enhance housing rigidity, improve cutting efficiency, and minimise the chance of injury. The handle can be gripped one-handed and is positioned to allow firm transmission of force to the workpiece where it may be difficult to exert force on the blade such as in tight places.

The DJR189 is also fitted with a unique counterweight mechanism to reduce tool vibration meaning users experience lower fatigue. The DJR189 also comes standard with several other features, including electric brake for safety, LED job light to enhance visibility, eXtreme Protection Technology (XPT) for increased dust and water resistance, and a fixed type pivoting shoe plate. The DJR189 is the perfect solution where jobs require a lightweight and compact reciprocating saw.



# **Product Overview**





# **Product Specifications**





Max. cutting capacities in wood	255mm
Max. cutting capacities in pipe	ø 130mm
Length of stroke	22mm
Strokes per minute	0-3,100spm
Overall length	366mm
Skin weight	1.9kg
Weight (with battery)	2.5kg (BL1860B)
Voltage	18V

- **Lightweight & Compact Design** The lightweight and compact design means to tool can be used for prolonged periods of time in tight places.
- **LED Job Light** Positioned at the front of the tool allowing for optimal illumination during operation.
- Electric Brake Maximises productivity and user safety by rapidly slowing the blade speed after the switch has been released.
- Fixed Type Pivoting Shoe Plate The front shoe can pivot in a fixed position offering the user flexibility and support while cutting.
- **Counterweight Mechanism** Equipped with a counterweight mechanism which drastically reduces vibration under loaded conditions for a more comfortable operation.
- **Loop Shaped Handle** The tools comes fitted with a loop shaped handle that can be gripped one-handed to improve cutting efficiency and minimise the chance of injury.

# Advantages



### **Compact**



Lightweight and compact design for efficient use in tight spaces.

## **Efficiency**



Looped shaped handle increases efficiency, safety, and can be gripped one-handed.

#### **Innovation**



AVT - Counterweight mechanism which drastically reduces vibration

### Convenience



Electric brake, LED Joblight, and eXtreme Protection Technology,

# **Product Replacement**



	NEW - DJR189	PREVIOUS - DJR188	
	THIRALTER	Thakita.	
Length of stroke	22mm	20mm	
Strokes per minute	0-3,100spm	0-3,000spm	
Overall length	366mm	316mm	
Skin weight	1.9kg	2.3kg	
Weight (with battery)	2.5kg (BL1860B)	2.9kg (BL1860B)	
Voltage	18V	18V	

# Accessories



Standard Accessories			
imakita 🗷 <sup>gatuu</sup>	B-05038	1 piece x 152mm Metal Blade	
Innaktia & Billion	B-05044	1 piece x 152mm Multi Material Blade	
· matta Size	B-05153	1 piece x 203mm Wood Blade	

**NOTE**: Above blade part numbers are provided as packs of 5 / only 1 of each blade is provided as standard with recipro saw

Optional Accessories		
**************************************	-	Wood Blades  Available in sizes from 100mm to 300mm
imakta 🗷 (tabu)	-	Metal Blades  Available in sizes from 100mm to 300mm
imakita in a sanata	-	Multi Material Blades  Available in sizes from 100mm to 305mm
• Transite but	-	<b>Demolition Blades</b> Available in sizes from 155mm to 305mm
Makita Caramana Caram	-	Specialized Blades  Stainless Steel / Fibreglass Hebel / Fibre Cement Rubber / Foam Fibreglass / Cast iron Frozen material / Butchery