

# BRUSHLESS WHEN POWER MEANS BUSINESS

When you choose Makita Outdoor Power Equipment, you choose to be part of something bigger. Our complete line up of cordless outdoor solutions will revolutionise the way you work - empowering you with over a century of knowledge and expertise in crafting the world's most reliable tools. With the support of the world's largest 18V cordless system, you can be sure our Power Garden range will get the job done and more - no petrol or cord needed.



### **Product Statement**



The DLM464 is powered by two 18V Li-ion batteries so you get 36V of power and runtime without leaving the 18V platform.

The heavy-duty steel deck has a cutting width of 460mm (18") and unlike its predecessor (DLM461) the motor runs at 3,300rpm the whole time while in use, providing you with maximum power throughout your job.

The mower also features a quiet mode for minimum noise output as well as allowing the user to either mulch or collect grass efficiently through the full rear chute.

DLM464 replaces the now discontinued DLM461



### **Product Overview**





## **Product Specification Sheet**





Grass box capacity	60L
Cutting height adjustment range	20-75mm, 10 Heights
No load speed	3,300rpm (Quiet Mode - 2,500rpm)
Max. cutting width	460mm (18")
Recommended mowing area	Up to 800m <sup>2</sup> *Measured using 2x 6.0Ah 18V batteries, results may vary
Overall length	1,518mm
Skin weight	26.4kg
Weight (with battery)	27.6kg
Voltage	36V (18Vx2)

- Water resistance rating IPX4 lawn mower has an IPX4 rating protecting from splashing water, no matter the direction.
- High powered motor motor runs at 3,300rpm as soon as you engage the blade, providing maximum power as soon as you're ready to work
- 18Vx2 Brushless Motor powered by two 18V Li-ion batteries providing 36V of power and runtime without leaving the 18V platform
- 460mm (18") Steel deck designed with a heavy-duty steel deck for increased durability
- 2 Tooth bar type blade excellent cutting and mulching capacity
- Quiet mode reduces the rpm to 2,500 in order to significantly reduce the noise output of the mower
- Mulch attachment provided as standard, providing the user the option to mulch or catch the lawn clippings
- 10 stage height adjustment from 20-75mm allows the user to quickly and easily change the cutting height

## Advantages



#### **Power**



High powered brushless motor runs at 3,300rpm to get through tough grass

#### **Durability**



#### Design



Large rear chute for efficient grass collection

#### Efficiency



18Vx2 Brushless motor for increased power and runtime

# **Our Range**



	DLM461 - Discontinued	DLM464	
	maktic Roberts	maritic B	
Grass box capacity	60L / Full Mesh	60L / Full Mesh	
Cutting height adjustment range	20-75mm, 10 Heights	20-75mm, 10 Heights	
Blade type	2 Tooth Bar	2 Tooth Bar	
No load speed	2,500 - 3,300rpm	3,300rpm (Quiet Mode - 2,500rpm)	
Soft No Load Speed Feature	Yes	No	
Max. cutting width	460mm (18")	460mm (18")	
Recommended mowing area	800m²	800m²	
Rear chute	Full Chute	Full Chute	
Overall length	1,518mm	1,518mm	
Skin weight	26.4kg	26.4kg	
Weight (with battery)	27.6kg	27.6kg	
Voltage	36V (18Vx2)	36V (18Vx2)	

### **Differences**



#### **Removal of Automatic Torque Drive**

The DLM461 featured Automatic Torque Drive technology which kept the rpm of the mower at a low of 2,500rpm until it encountered tough grass, which is when the rpm automatically increases to 3,300rpm.

For DLM464, the Automatic Torque Drive feature has been removed which means the mower will immediately start at 3,300rpm at stay at that level whilst in use.



# **S** Our Range



	DLM464	DLM533X	DLM532X	DLM531	DLM432	DLM382
	BI MOTOR	BIMOTOR	BL	MOTOR	Total land	
Grass box capacity	60L	70L	70L	70L	50L	40L
Cutting height adjustment range	25-75mm, 10 Heights	20-100mm, 10 heights	20-100mm, 10 heights	20-100mm, 10 heights	20-75mm, 13 heights	20-75mm, 13 heights
Blade type	2 Tooth Bar	4 Swing Back Blades	4 Swing Back Blades	2 Tooth Bar Blade	2 Tooth Bar Blade	2 Tooth Bar Blade
Self-Propelled or Push	Push	Self-Propelled	Self-Propelled	Push	Push	Push
No load speed	3,300rpm	2,800rpm	2,800rpm	2,800rpm	3,700rpm	3,700rpm
Soft no load speed (ATD)	No	Yes	Yes	Yes	No	No
Max. cutting width	460mm (18")	534mm (21")	534mm (21")	534mm (21")	430mm (17")	380mm (15")
Recommended mowing area	Up to 800m²	Up to 2,000m²	Up to 2,000m²	Up to 2,300m²	Up to 575m²	Up to 560m²
Overall length	1,518mm	1,635mm	1,630mm	1,630mm	1,490mm	1,380mm
Skin weight	26.4kg	45kg	42kg	35.7kg	16.3kg	15.6kg
Weight (with battery)	27.6kg	47.4kg	44.kg	38.3kg	17.5kg	16.8kg
Voltage	36V (18Vx2)	36V (18Vx2)	36V (18Vx2)	36V (18Vx2)	36V (18Vx2)	36V (18Vx2)

## Accessories



Standard Accessories				
	782210-8	Box wrench 17		
Tnakita	127697-1	Grass Catcher Assembly		
	643535-4	Start Key		
.0.	199367-2	Mower blade set		
	671.005.177	Mulching Plug		

