

Product Statement



The DLM464 is powered by two 18V Li-ion batteries so you get 36V of power and runtime without leaving the 18V platform.

The heavy-duty steel deck has a cutting width of 460mm operates at 3,300rpm to maximise power throughout the job.

The mower also features a quiet mode for lower noise output and a full rear chute for effective collection of lawn clippings into the 60L collection bag.



Product Overview





Product Specification Sheet





Grass box capacity	60L
Cutting height adjustment range	20-75mm, 10 Heights
No load speed	3,300rpm (Quiet Mode - 2,500rpm)
Max. cutting width	460mm
Recommended mowing area	Up to 800m ² *Measured using 2x 6.0Ah 18V batteries, results may vary
Overall length	1,518mm
Skin weight	26.4kg
Weight (with battery)	27.6kg
Voltage	18Vx2

- Water resistance rating IPX4 lawn mower has an IPX4 rating protecting from splashing water, no matter the direction.
- High powered motor motor runs at 3,300rpm as soon as you engage the blade, providing maximum power as soon as you're ready to work
- 18Vx2 Brushless Motor powered by two 18V Li-ion batteries providing 36V of power and runtime without leaving the 18V platform
- 460mm Steel deck designed with a heavy-duty steel deck for increased durability
- 2 Tooth bar type blade excellent cutting and mulching capacity
- Quiet mode reduces the rpm to 2,500 in order to significantly reduce the noise output of the mower
- Mulch attachment provided as standard, providing the user the option to mulch or catch the lawn clippings
- 10 stage height adjustment from 20-75mm allows the user to quickly and easily change the cutting height

Advantages



Power



High powered brushless motor runs at 3,300rpm to get through tough grass

Durability



Design



Large rear chute for efficient grass collection

Efficiency



18Vx2 Brushless motor for increased power and runtime

Our Range

	DLM330	DLM382	DLM432	DLM464	DLM480	DLM535	DLM536X	DLM537X
Collection capacity	30L	40L	50L	60L	62L	70L	70L	70L
Cutting height adjustment range	20 - 75mm, 8 heights	20 - 75mm, 13 heights	20 - 75mm, 13 heights	20-75mm, 10 Heights	20 – 100mm, 10 heights	20 - 100mm, 10 heights	20-100mm, 10 heights	20-100mm, 10 heights
Blade System	2 tooth bar blade	2 tooth bar blade	2 tooth bar blade	2 tooth bar blade	2 tooth bar blade	2 tooth bar blade	4 swing back blades	4 swing back blades
Self-Propelled or Push	Push	Push	Push	Push	Push	Push	Self-Propelled	Self-Propelled
Deck Material	Plastic	Plastic	Plastic	Heavy Duty Steel	Plastic	Heavy Duty Steel	Heavy Duty Steel	Aluminium
No load speed	4,300rpm	3,700rpm	3,600rpm	2,800rpm	3,100rpm	2,800rpm	2,800rpm	2,800rpm
Max. cutting width	330mm	380mm	430mm	460mm	480mm	534mm	534mm	534mm
Recommended mowing area	270m²	560m²	575m²	800m²	800m²	2,300m²	1,700m² Self Propelled	1,700m² Self Propelled
Overall length	1,285mm	1,380mm	1,490mm	1,518mm	1,740mm	1,630mm	1,630mm	1,630mm
Skin weight	10.7kg	15.6kg	16.3kg	26.4kg	25.9kg	35.7kg	42kg	45kg
Weight (with battery)	11.3kg	16.8kg	17.5kg	27.6kg	27.1kg	38.3kg	44.4kg	47.4kg
Voltage	18V	18Vx2	18Vx2	18Vx2	18Vx2	18Vx2	18Vx2	18Vx2

Accessories



Standard Accessories					
	782210-8	Box wrench 17			
Trakita	122F96-8	Grass Catcher Assembly			
()mm	643535-4	Start Key			
***	199367-2	Mower blade set			
	671.005.177	Mulching Plug			

