


Makita

18V LED Rotating Flashlight

LXT

DML816



Product Statement


18V LED Rotating Flashlight

The 18V LXT LED Rotating Flashlight (DML816) provides ultra-bright illumination, versatility, and convenience. At full brightness, it provides 500 lumens of light. The 3-stage brightness setting also provides a high, medium and low light output setting. When using the 18V LXT 6.0Ah battery (sold separately), the flashlight delivers 17 hours of continuous illumination on a single charge on full brightness.

For added convenience, the flashlight head folds up and down and pivots left to right to deliver multiple lighting angles. A metal hang-hook swivels 360-degrees and folds away when not in use. The flashlight has a slim, compact design at 267mm in length and weighs only 1.1kg. (with an 18V LXT 6.0Ah battery, sold separately).



Product Overview



Product Specification Sheet



Continuous runtime (with 6.0Ah)	High:17hrs Medium: 34hrs Low: 75hrs
Luminous flux	High: 500lm Medium: 250lm Low: 100lm
Illuminance (at 0.5m from source)	High: 800lx Medium: 400lx Low: 180lx
Overall length	Folded: 267mm Fully Extended: 400mm
Skin weight	0.41kg
Weight (with battery)	1.1kg (BL1860B)
Voltage	18V

- **Light diffusing lens** – opaque lens softens the LED light to reduce glare, it also allows the light to be dispersed at a wider angle providing more widespread illumination.
- **Bright White LED’s** – 18x LEDs are used, providing wide and bright illumination with a brightness of 500lm.
- **Battery capacity warning** – this system warns the users of low battery capacity by reducing the number of LEDs on to 1 before the battery goes entirely flat. This ensure the users isn’t left in the dark without any notice.
- **Rotating flashlight head** – rotatable light head is able to rotate 90° right and 180° left. With the light head also able to fold 180° from directly upright to a down closed position.
- **Metal swivel hook** – A metal hang-hook has a large opening 50mm opening, swivels 360-degrees and folds away when not in use
- **3-Stage brightness settings** – each time the switch button is pressed the brightness setting will cycle through the various brightness settings High>Medium>Low>OFF

Advantages

Illumination



18x LEDs provide wide and bright illumination of 500lm

Versatility



Rotating flashlight head

Control

















3 stage brightness setting

Convenience




Metal hanging hook allows light to be suspended for hands free use

Our Range

	DML800	DML803	DML186	DML815	DML802	DML808	DML812
							
Continuous runtime (6.0Ah)	40hrs	High:32hrs Low: 48hrs	100hrs	54hrs	26hrs	32 hours	Spot Light: 10hrs Flood Light: 7.5hrs
Luminous flux	100lm	170lm	100lm	160lm	160lm	190lm	Spot Light: 600lm Flood Light: 1,000lm
Overall length	151mm	151mm	151mm	272mm	273mm	297mm	313mm
Skin weight	0.26kg	0.26kg	0.19kg	0.3kg	0.33kg	0.43kg	0.9kg
Weight (with battery)	0.86kg	0.86kg	0.79kg	0.9kg	0.93kg	1.1kg	1.6kg
Voltage	18V	18V	18V	18V	18V	18V	18V
	DML816	DML807	DML814	DML810	DML805	DML809	DML811
							
Continuous runtime (6.0Ah)	High:17hrs Med: 34hrs Low: 75hrs	Hi:14hrs Lo: 28hrs	High:3.6hrs Med: 6.6hrs Low: 12hrs	2x 6.0Ah - High: 4.0hrs, Med: 8.5hrs, Low: 18hrs	Hi:10.2hrs Lo: 25.5hrs	2x 6.0Ah - High: 1.7hrs, Med: 4.5hrs, Low: 8.5hrs	2x 6.0Ah - High: 3hrs, Med: 7hrs, Low: 13hrs,
Luminous flux	High: 500lm Med: 250lm Low: 100lm	710lm	High: 3,000lm Med: 1,700lm Low: 900lm	High: 5,500lm Med: 3,000lm Low: 1,500lm	750lm	High: 10,000lm Med: 4,000lm Low: 2,000lm	High: 3,000lm Med: 1,500lm Low: 750lm
Overall length	400mm	297mm	2,240mm	420mm	214mm	249mm	249mm
Skin weight	0.41kg	0.73kg	7.4kg	14.1kg	2.0kg	5.8kg	4.1kg
Weight (with battery)	1.1kg (BL1860B)	1.4kg	8.1kg	15.3kg	2.6kg	7.0kg	4.8kg
Voltage	18V	18V	18V	18V / AC	18V / AC	18V / AC	18V / AC

Accessories



Standard Accessories		
	GM00001288	Shoulder hook set

Expand Your 18V LXT Line Up		
	MR007G DMR113 MR002G	Radio Range
	CW001G	Cooler & Warmer
	DCF301 DCF203	Fan Range
	DML812 DML807 DML805	Lighting Range
	DCM501 DKT360	Coffee Machine Kettle
	DMP180 DMP181	Inflator