
Thakita

)B186

18V Blower



Product Overview



Product Specification Sheet



Max. air velocity	244.8km/h		
Max. air volume	3.2m³/min		
No load speed	0-18,00rpm		
Overall length	861mm		
Skin weight	1.5kg		
Weight (with battery)	2.1kg		
Voltage	18V		

- 3 Stage speed selection improved switch allows the user to easily select between high, medium and low speed settings
- Lightweight design weighing only 2.1kg with a battery the blower can comfortably be used for extended periods of time
- Curved nozzle extra long nozzle with curved end for comfortable cleaning of footpaths, driveways and hard surfaces
- **Optimum grip to frame angle –** provides optimum nozzle to ground angle for efficient sweeping operation
- 18V Motor powered by the 18V Li-ion battery platform powering the worlds largest range of 18V Liion tools

Advantages



Ergonomics



Curved nozzle design for comfortable floor cleaning

Design 2.1kg with Battery

Lightweight design allows for comfortable use for a prolonged period of time

Convenience



3 stage air speed and volume settings

Performance



Max. air speed: 244.8km/h Max. air volume: 3.2m³/min

Our Range



	DUB186	DUB184	DUB362	DUB363V	DUB187	
				Takita		
Max. air velocity	244.8km/h	187km/h	194.4km/h	234km/h	230km/h	
Max. air volume	3.2m³/min	13m³/min	13.4m³/min	13.4m³/min	Vacuum: 6.1m³/min Blower: 4.2m³/min	
No load speed	0-18,000rpm	0-18,000rpm	0-21,500rpm	0-7,850rpm	0-9,000 - 13,500rpm	
Overall length	861mm	824mm	930mm	737mm	1,168mm	
Skin weight	1.5kg	2.4kg	2.8kg	6.6kg	3.4kg	
Weight (with battery)	2.1kg	3.0kg	4.0kg	7.8kg	4.0kg	
Voltage	18V	18V	36V (18Vx2)	36V (18Vx2)	18V	

Accessories

Standard Accessories		Optional Accessories			
STATE OF STATE	191G09-6	Long Nozzle		123246-2 123245-4	Nozzle Assembly 430mm Nozzle 220mm Nozzle
united and a second sec			Tradut	123241-2	<u>Dust Bag Assembly</u>
				192236-6	Anchor Nozzle Set
				196643-5	Flexible Hose Set