

Makita

18V Brushless 150mm Pruning Saw

LXT

DUC150



18V Brushless 150mm Pruning Saw

The 18V Brushless 150mm pruning saw (DUC150) is lightweight, compact, and efficient allowing for easy garden pruning. The DUC150 is tool-less, meaning the chain can be swapped out or tensioned with ease using the large lever on the side of the tool. During operation, the DUC150 automatically lubricates the chain, minimising the chance of chain seizure during use.

The DUC150 also comes standard with numerous safety features to protect the user during operation. The chain guard will open gradually wider as the chain cuts deeper into a branch and the soft grip rear handle is fitted with a guard for further protection. The DUC150 also has an electric brake to rapidly stop the chain once the trigger has been released.



Product Overview



Product Specification Sheet



Oil Tank Capacity	55mL
Chain Speed	8.0m/s
Guide Bar Length	150mm
Standard Chain	0.325LP / 0.043
Overall Length	408mm
Skin Weight	1.4kg
Weight (With Battery)	2.0kg (BL1860B)
Voltage	18V

- **Lightweight and Compact** – Lightweight at just 2kg with a 6.0Ah battery.
- **Electric Brake** – Once the trigger is released the electric brake will rapidly stop chain rotation.
- **Moveable Guard** – The chain guard will open gradually wider as the chain cuts deeper into a branch.
- **Automatic Chain Lubrication** – The chain is automatically lubricated during operation, minimising the chance of chain seizure during use.
- **Brushless Motor** – The powerful brushless motor provides chain speeds of 8.0m/s.
- **Lock-Off Lever** – The lock-off lever can be operated from either side allowing the tool to be operated with the left or right hand.
- **Rear Handle Guard** – For added protection the soft grip rear handle is also fitted with a guard.
- **Tool-Less Chain Adjustment** – Simply loosen and re-tighten the large lever to automatically adjust the saw chain tension.

Advantages

Safety



Retractable guard gradually opens during cut for optimal safety for the user

Convenience



Automatic chain lubrication minimises the chance of chain seizure during use.

Practicality





Automatic chain tension adjustment simply by releasing the sprocket cover nut.

Ergonomics



Narrow design for improved access in tight spaces for detailed pruning

Standard Accessories		
	1912F1-4	Guide Bar
	413T67-3	Chain and Bar Cover
	1912E8-3	Saw Chain
	D-70948	Chain Edger
	-	Oil Vessel

Optional Accessories		
	1913K4-9	Belt Holster
	D-72154	Roll Up Accessory kit