

<sup>®</sup>  
**Makita**

# 18V Brushless Pole Hedge Trimmer

## 500mm

DUN501W



**BL**  
MOTOR




# Product Objectives

- Develop a cordless 18V pole hedge trimmer to suit the needs of gardeners, maintenance staff, landscapers and the home user
- Provide a dedicated pole hedge trimmer that provides maximum reach with minimal flex for an efficient cut for hard to reach applications



# Product Overview



# Product Specification Sheet



Max. brand diameter	21.5mm
Blade length	500mm
Strokes per minute	Lo: 2,000spm Med: 3,600spm Hi: 4,400spm
Noise	91dB
Overall length	2,115m
Skin weight	3.6kg
Weight (with battery)	4.2kg
Voltage	18V

- **XPT** – provides increased resistance to moisture and dripping water for use in harsh outdoor environments
- **Optimum length of 2.1m** – measuring 2.1m in length to provide maximum reach for applications in high places
- **3 stage speed control** – allows the user to switch between the high, medium and low speed modes at the touch of a button
- **Reverse switch** – if the blade was to become jammed the user can press the reverse button which temporarily reverses the blade direction to free the blades from the material
- **Lightweight design** – weighing only 4.2kg with a battery, allowing for all day use with minimal fatigue
- **Adjustable blade position** – blade angle can be changed by operating a lever. 6 blade positions: 45°, 22.5°, 0°, -22.5°, -45°, -70°

# Advantages

## Control




2 grips allows maximum user control

## Power



18V LXT Brushless Technology

## Convenience



6 adjustable blade positions

## Performance




Blade Length: 500mm  
Max. blade diameter: 21.5mm

# Advantages





## Adjustable Blade Position

The DUN501 features a 6-blade position to allow for maximum convenience and control when working at a variety of heights making it perfect for gardeners and commercial end users who work with variety different jobs.

1. 45 degrees
2. 22.5 degrees
3. 0 degrees
4. - 22.5 degrees
5. - 45 degrees
6. - 70 degrees
7. Folded away for easy transportation




# Our Range

	DUN501W	DUX60ZPH	EN4950H	EN4951SH
				
Max. power output	0.52kW	0.6kW	0.77kW	0.77kW
Max. brand diameter	21.5mm	21.5mm	21.5mm	21.5mm
Blade length	500mm	490mm	490mm	490mm
Strokes per minute	Lo: 2,000spm Med: 3,600spm Hi: 4,400spm	Lo: 2,400spm Med: 3,400spm Hi: 4,000spm	4,200spm	4,200spm
Noise	91dB		-	-
Overall length	2,115mm	3,715mm	2,550mm	2,050mm
Skin weight	3.6kg	7.5kg	6.9kg	6.6kg
Weight (with battery)	4.2kg	8.7kg	-	-
Voltage	18V	18Vx2	4 Stroke	4 Stroke

# Accessories

Standard Accessories		
	459120-1	Blade Cover
	125516-5	Band Assembly

Optional Accessories		
	191E73-5	Blade Assembly

