Suitable for water, fuels, lubricationts, chemicals and other liquids

REMOTE TANK MONITOR







SATELLITE OR CELLULAR CONNECTIVITY

Suitable for water, fuels, oils, AdBlue and some chemicals



to last

Engineered for the harshest climates

| C | _ | _ | ٦ | |
|---|---|---|---|--|
| г | - | - | I | |
| н | - | | | |
| 5 | - | - | 2 | |

Rapid activation via NFC

| ſ | | | 7 |
|---|---|---|---|
| | - | / | |
| | | | |
| | | | |

Effective warranty & lifespan



Secure connections from remote locations

Sydney
Brisbane
Melbourne
Perth
Adelaide
Hobart
Darwin

Suitable for water, fuels, lubricationts, chemicals and other liquids



REMOTE TANK MONITOR

Specifications

| • | EA1T-DS | EA1T-DC | |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--|
| CONNECTIVITY | Global Satellite Network | Cellular(NB-IoT/Cat M1) | |
| CERTIFICATIONS | AUS/NZ: RCM | | |
| INTEGRATION POINT | Full installation kit: Base, sensor cable & protective helmet included (ALT: 2" BSP screw-in integration point or BSP 2") | | |
| PHYSICAL CONSTRUCTION | Fully encapsulated, environmentally sealed | | |
| SENSOR CAMPATIBILITY | Hydrostatic level sensor | | |
| OPERATION TEMPERATURE | -400C to + 800C | | |
| BATTERY | 7 years life | | |
| MANUFACTURER WARRANTY | 2 years extended manu | facturer's defect warranty | |



| asse Map | to reduce manual et checks | Improve worker health & safety risks Improve worker health & safety risks Set & receive threshold alerts via email or text | Multiple readings per day | | |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|--|--|
| Code | Description | | | | |
| EA1T-DC | Remote Tank Guage New Gen Pressure probe for Diesel or Adblue- up to 3 metres high. View in the APP or on PC. 7 - 10 year battery life. Reads 4 times per day and sends alerts via email or text. NBiOT or CAT1M 4-5 G network. Includes first year subscription. | | | | |
| EA1T-DS | Remote Tank Guage New Gen Pressure probe for Diesel or Adblue- up to 3 metres high. View in the APP or on PC. 7 - 10 year battery life. Reads 4 times per day and sends alerts via email or text. Satellite Coverage for remote regions. Includes first year subscription. | | | | |

• Sydney • Brisbane • Melbourne • Perth • Adelaide • Hobart • Darwin

REMONTE TANKMONITOR





C C

CHECKS PER DAY UP TO 4 LEVEL READINGS PER DAY SAFE, WATERPROOF & FULLY ENCAPSULATED TESTED FOR THE HARSHEST CLIMATES

UP TO 4 THRESHOLD

7 YEAR BATTERY LIFE





Robust, safe & built to last Engineered for the harshest climates

Rapid activation via NFC

Effective warranty & lifespan

Secure connections from remote locations