

1" HONDA POWERED ULTRALITE PUMP



SKU: 124 SEH-25L

Max Flow 115 L/min, 32 m Head
1" Inlet & Outlet BSP, 8 m Max Suction Depth,
Honda GX25 Four Stroke Petrol Engine



POWERED by
HONDA



KOSHIN SEH SERIES

This Japanese made Koshin SEH-25L 1" Ultralite pump powered by Honda GX25 four stroke petrol engine is capable of producing flows up to 115 L/min and a maximum head of 32 m (45 PSI). Designed for pumping clean water the Koshin 1" Ultralite is easy to move from job to job due to its 7 kg Ultralite design. This pump is suitable for a wide variety of applications including water transfer, mop up fire fighting, irrigation, campsites and high pressure spraying.

Features

- Environment friendly low noise Honda engine produces half the noise compared to two stroke engine
- Made in Japan
- Light weight with built in handle and skids with rubber feet.

Specifications

- Net weight: 5.5 kg
- Gross weight: 7 kg
- Clear Water Pump
- Product dimensions:
L 375 x W 243 x H 320 mm

Pump

- Suction: 1" Male BSP
- Discharge: 1" Male BSP
- Max Flow: 115 L/min
- Max Head: 32 m
- Max. suction depth: 8 m
- Cast alloy pump body with cast iron impeller and volute
- NBR Seals
- Maximum particle size: 1 mm

Engine

- Start: Recoil
- Type: Forced Air-Cooling 4-Stroke Gasoline Engine
- Model: Honda GX25

- Max. output: 0.72 kW / 7,000 RPM
- Fuel tank capacity: 0.53 L
- Engine oil capacity: 0.08 L
- Continuous operating time: 1 hr.

Accessories

- 3 Hose bands, 2 Hose couplings, 1 Strainer, 1 Engine tool sets

Applications

- Water Transfer
- Irrigation - Spraying

Part #	Start	Max Head	Max Flow	Engine	Fuel Tank Capacity	Seal Type
124 SEH-25L	Recoil	32 m	115 L/min	Honda GX25	0.53 L	NBR Rubber
124 SEH-40H	Recoil	43 m	280 L/min	Honda GXH50	0.77 L	NBR Rubber



www.bargroup.com.au
info@bargroup.com.au
(02) 4577 2144