



suttontools

M201 -Hand Taps - M - Intermediate -Sutton Tools

Sutton Tools Carbon Hand Taps are ideal for routine maintenance, repair work and for rethreading where high accuracy and tolerance thread is not critical. Straight flutes are designed for tapping into materials where chips break-up readily and present no disposal problems, particularly in through-hole tapping. Straight flute taps are only suitable for hand operations, tapping up to 1-1/2 x diameter.

Features:

- Straight Flutes suitable for through hole tapping up to 1-1/2 x diameter
- Intermediate lead: used after a taper lead tap and are suitable for through holes or blind holes where the thread does not need to go right to the bottom of the hole
- Square shank for use with a suitable tap wrench to drive the tap
- Made from tungsten chrome alloy
- Bright finish for general purpose applications, non-ferrous metals & plastics

Specifications:

Designation:	N
Material:	TCA
Finish:	Brt
Max Cut Depth:	1.5xD
Shank Form:	A
Thread Form:	M
Lead:	Intermediate

Range:

Item #	Pitch	Size
M2010300	0.50	M3
M2010400	0.70	M4
M2010500	0.80	M5
M2010600	1.00	M6
M2010700	1.00	M7
M2010800	1.25	M8
M2011000	1.50	M10
M2011200	1.75	M12
M2011400	2.00	M14
M2011600	2.00	M16
M2011800	2.50	M18
M2012000	2.50	M20
M2012200	2.50	M22
M2012400	3.00	M24
M2012700	3.00	M27
M2013000	3.50	M30
M2013300	3.50	M33
M2013600	4.00	M36

Trade/DIY Applications:

Wood	Metal	Specialty	Masonry
Soft Wood	Steel	● PVC Plastic	Masonry
Hard Wood	Hard Steel	○ Acrylic	Plasterboard
Wood & Nails	Stainless Steel	○ mineral rock wool foams (EPS, PUR),	Compressed Fibre Cement
Chipboard	Aluminium	● Polystyrene	Cement Sheet
Plywood	Copper / Brass	● Leather	Ceramic Tile
MDF	Cast Iron	○ Rubber	Hebel
Green Wood	Sheet Metal	● Fibreglass	Brick
Sandwich Construction	Precious Metals	Carbon Fibre	Concrete
Pallet	Metal Pipe	Glass	Reinforced Concrete
Window Frame		Laminate	Stone
			Granite
			Marble

KEY

● Optimal ○ Effective