

Makita

18V Brushless Stick Vacuum

LXT

DCL286ZVX1



BRUSHLESS

Product Statement


The 18V Brushless Stick Vacuum delivers a Max sealed suction of 18kPa and a max airflow rate of 1.0m³/min. Operation is controlled by the trigger for short periods of use, or the lock on slide switch for longer periods without fatigue.

The cyclonic filtration reduces filter maintenance, and the HEPA filter provides a high filtration rate of 99.97%. The pipe-lock system securely holds the pipe into place for long term durability.

Operating at just 63dB on the maximum setting, minimizes disturbance to people around the operator. The improved floor tool provides greater mobility around obstacles.



Product Overview



Product Specification Sheet



Max. sealed suction	18kPa
Max. air volume	1.0m ³ /min
Capacity	440mL
Suction power	100W, 60W, 35W, 15W
Overall length	1,206mm
Continuous operation (minutes) BL1860B	16 minutes
Skin weight	1.2kg
Weight (with Battery) BL1860B	1.8kg
Voltage	18V

- **4 Stage Suction Control** – provides versatility in runtime and performance to suit different tasks.
- **Brushless Motor** – delivers 18kPa Max sealed suction and 1.0m³/min Max air volume to power through the toughest applications.
- **Cyclonic Filtration** – separates large and small particles to reduce filter maintenance.
- **LED Joblight** – single LED light operates when the trigger is engaged illuminating the work area. Light also functions as a battery capacity warning light and will blink as battery capacity becomes low.
- **Pipe Lock** – pipe is fixed by locking mechanism to prevent it from falling off.
- **Pipe with Bevelled Edge** – easy to complete cleaning in hard to reach spaces.
- **Quiet Cleaning** – sound absorbing sponge has been added to the internal housing reducing the noise level to 63dB(A).
- **HEPA Filter** – provides a high filtration rate of 99.97% at 0.3 micron.
- **Capsule Dust Collection** – easy to remove capsule from housing to empty the collected dust and continue working.

Functional



4 Stage suction control with On/Off switch

Durability



Pipe-lock system secures the pipe to the cyclone assembly to prevent it coming out

Innovation



Maneuverable floor tool swivels 180° while ensuring consistent airflow

Efficiency



Container is easily removed for waste disposal

Standard Accessories		
	198919-6	330mm Sash Nozzle
	459354-6	Sash Nozzle Holder
	459353-8	Pipe
	127825-8	Floor Nozzle

Optional Accessories		
	140G19-0	Telescopic Pipe
	191E30-3	Flexible Detail Cleaning Hose
	198873-4	100mm Shelf Brush
	198878-4	40mm Round Brush
	199038-1	175mm Seat Brush
	198525-7	Carpet & Rug Floor Nozzle